

**STANDARD PLANS and SPECIFICATIONS
FOR
PUBLIC WORKS CONSTRUCTION**

CITY OF RANCHO MIRAGE

Adopted by Resolution

**INDEX TO
STANDARD PLANS**

TYPICAL STREET SECTION

100	120' R/W PRIMARY ARTERIAL (RAMON RD.)
101	110' R/W MAJOR ARTERIAL (HIGHWAY 111)
102	110' R/W MINOR ARTERIAL
103	100' R/W MAJOR COLLECTOR
104	88' R/W MINOR COLLECTOR
105	60' R/W LOCAL STREET
106	50' R/W RESTRICTED LOCAL STREET (36' WIDE)
107	50' R/W RESTRICTED LOCAL STREET (32' WIDE) (PARKING ON ONE SIDE ONLY)
108	28' R/W RESTRICTED LOCAL STREET (28' WIDE) (NO PARKING)

CURBS AND DRIVEWAYS

200	TYPE AA@ (6") CURB & GUTTER
201	TYPE AB@ (8") CURB & GUTTER
202	TYPE AC@ CURB (ROLLED) *
203	TYPE AD@ (6" OR 8") CURB **
204	TYPE AF@ CURB (A.C. DIKE)
205	TYPE AD MODIFIED" CURB (GLUE-DOWN) ***
206	CURB AND GUTTER JOINTS
207	CURB TRANSITION
208	CURB CONSTRUCTION IN EXISTING PAVEMENT
209	PLANAR CURB RETURN GRADE CALCULATION
210	SPANDREL/CROSS GUTTER LAYOUT (1 OF 2)
210	CROSS GUTTER DETAIL(2 OF 2)
211	P.C.C. DRIVEWAY APPROACH
212	A.C. DRIVEWAYS
213	MEDIAN NOSE DETAIL
214	HANDICAP ACCESSIBLE PARKING STALLS (TYP.)
215	COMMERCIAL DRIVEWAY
220	4' VALLEY ("V") GUTTER
221	"MOUNTABLE" 4" CURB & GUTTER***
222	RESIDENTIAL "WEDGE" CURB***
223	A.D.A. COMPATIBLE DRIVEWAY

DRAINAGE

300	CURB INLET CATCH BASIN(1 OF 3)
300	CURB INLET CATCH BASIN MANHOLE FRAME AND COVER (2 OF 3)
300	CURB INLET CATCH BASIN (NOTES)(3 OF 3)
301	GRATE INLET CATCH BASIN***
302	COMBINATION INLET CATCH BASIN(1 OF 2)***
302	COMBINATION INLET CATCH BASIN (2 OF 2)***
303	GUTTER DEPRESSION FOR CURB OPENING CATCH BASIN

NOTES:	* Not used for new construction
	** 8" curb for median islands
	*** Only as approved by City Engineer

DRAINAGE CONTINUED

304	GUTTER DEPRESSION FOR GRATE OPENING CATCH BASIN***
305	CURB SUPPORT DETAIL (FOR TYPE 300 AND 302 CATCH BASINS)

306	DRYWELL DETAIL(1 OF 2)
306	FILTERED COLLAR FOR STANDARD DRYWELL (2 OF 2)
307	UNDERWALK DRAIN(1 OF 2)
307	UNDERWALK DRAIN (2 OF 2)
308	PRIVATE DRAIN THROUGH CURB
309	CMP RISER INLET(1 OF 2)
309	CMP RISER INLET (2 OF 2)
310	RETENTION BASIN(1 OF 2)
310	RETENTION BASIN (2 OF 2)
311	COMBINATION CURB INLET CATCH BASIN / DRYWELL
312	PARKWAY RETENTION DRAIN

GEOMETRICS

400	CUL-DE-SAC
400-B	OFFSET CUL-DE-SAC
401	STANDARD KNUCKLE
402	CURB RETURN RADII / PROPERTY LINE CUT-BACK
403	BUS TURNOUT
404	LEFT TURN POCKET
405	RIGHT TURN POCKET
406	MEDIAN ISLAND NOSE FLARE
407	SIGHT DIST. REQUIREMENTS
408	PARKING STALL DIMENSIONS

SIDEWALKS

500	MEANDERING BIKE PATH
501	RESIDENTIAL SIDEWALK
502	ACCESS RAMP

MISCELLANEOUS

600	BARRICADE(1 OF 2)
600	BARRICADE (2 OF 2)
601	STREET NAME SIGN
602	SIGN POST INSTALLATION
603	STREET SIGN LOCATION
604	UTILITY TRENCH PAVEMENT REPLACEMENT
605	GARDEN WALL (NON-RETAINING)
606	P.C.C. RETAINING WALL (H=4' MAX)(1 OF 3)
606	BLOCK RETAINING WALL (H=4' MAX)(2 OF 3)
606	NOTES AND DETAILS, RETAINING WALL (3 OF 3)

NOTES:	*	Not used for new construction
	**	8" curb for median islands
	***	Only as approved by City Engineer

MISCELLANEOUS CONTINUED

607	COLD PLANE DETAIL
608	PAVEMENT LEGEND STENCILS

609	TIE-OUT STANDARDS
610	MONUMENTATION
611	MONUMENT DETAILS & STANDARDS(1 OF 2)
611	MONUMENT DETAILS & STANDARDS (2 OF 2)
612	POTHOLE REQUIREMENTS
613	TYPICAL UTILITY LOCATIONS
614	SAMPLE SHEETS, DRAFTING STANDARDS (1 OF 3)
614	SAMPLE SHEETS, DRAFTING STANDARDS (2 OF 3)
614	SAMPLE SHEETS, DRAFTING STANDARDS (3 OF 3)
615	EQUESTRIAN FENCE

STANDARD NOTES

700	GENERAL NOTES
701	PAVING NOTES
702	GRADING NOTES

SPECIAL PROVISIONS TO THE STANDARD SPECIFICATIONS

SP1-SP33	FOR PUBLIC WORKS CONSTRUCTION	(LATEST EDITION)
----------	-------------------------------	------------------